















BYD ATTO 2 Specification

lacktriangle Standard \bigcirc Optional - Not Available

Exterior	Boost
Metallic paint	•
LED headlights, automatic on/off	•
LED daytime running lights	•
Follow me home (The headlights turned on in advance/delayed off function)	•
Intelligent High Beam Control (IHBC)	•
LED taillights	•
Panoramic roof, electrically adjustable sunshade	•
Aluminium roof rail	•
17" Alloy wheels	•
Exterior mirrors, electrically adjustable, manually folding, heated	•
Rain sensor	•

Interior	Boost
Vegan leather, multi-function steering wheel	•
Steering wheel, heated	•
Upholstery, vegan leather	•
Driver seat, electrically adjustable, 6 ways	•
Driver seat, heated	•
Front passenger seat, electrically adjustable, 4 ways	•
Front passenger seat, heated	•
Split folding rear seats, 40:60	•
Monochrome ambient lighting	•
Boot light	•
Centre console light	•
LED front reading lights	•
LED rear side reading lights	•
Driver side window, one-click lift and anti-pinch	•
Front seat sun visors with illuminated mirror	•
Boot parcel shelf	•
12V power output	•
PM2.5 filter	•

Communications and In-Car Entertainment	Boost
8.8" TFT full LCD instrument panel	•
12.8" touchscreen	•
DAB & FM	•
Audio system, 8 speakers	•
Navigation ¹	•
Intelligent voice control-"Hi, BYD"	•
Onboard 4G connectivity	•
Cloud service - BYD APP	•
Front USB ports, 1 x 60W Type C, 1 x 18W Type C	•
Rear USB ports, 2 x 18W Type C	•
Smartphone wireless charging, 50W (function will release after Oct.2025) ²	•
Android Auto™ & Apple CarPlay³	•

- 1. The Navigation system includes a 3-year free-trial subscription, initial activation of the Navigation service will be implemented when first using the app for live navigation services. The navigation system requires internet connection. The Navigation system is not available in all languages or countries. Please contact your local dealers for updates to check language and country availability.
- 2. The wireless charging power of the mobile phone may vary depending on the mobile phone model and some mobile phone models may not be able to reach the 50W charging power.
- 3. Apple CarPlay is a trademark of Apple Inc., registered in the U.S. and other countries. Please check Apple CarPlay's available regions at www.apple.com/ios/feature-availability/#apple-carplay. Android and Android Auto are trademarks of Google LLC. Please check Android Auto's available regions at g.co/androidauto/requirements.

To wirelessly use Android Auto on your car display, you need a compatible Android smartphone with an active data plan. You can check which smartphones are compatible at g.co/androidauto/requirements.

To use Android Auto on your car display, you'll need an Android phone running Android 8 or higher, an active data plan, and the Android Auto app.

Safety	Boost
Driver's airbag	•
Front passenger's airbag	•
Front side airbag	•
Side curtain airbags	•
Pretensioner & force limiter seat belts	•
ISOFIX, outer rear seats	•
Tyre pressure monitoring system (TPMS)	•
Mechanical child safety lock	•
Emergency call	•

Driving Assistance	Boost
Parking radars, front	•
Parking radars, rear	•
360° view camera	•
Driver Monitoring System(DMS)	•
Adaptive Cruise Control (ACC) & Intelligent Cruise Control (ICC)	•
Intelligent Speed Limit Control (ISLC)	•
Lane Departure Assist (LDA)	•
Emergency Lane Keeping Assist(ELKA)	•
Blind Spot Detection (BSD)	•
Door Opening Warning (DOW)	•
Traffic Sign Recognition (TSR)	•
Automatic Emergency Braking (AEB)	•
Intelligent Power Brake (IPB)	•
Antilock Brake System (ABS)	•
Electric Power Brake (EPB)	•
Electronic Brake Distribution (EBD)	•
Traction Control System (TCS)	•
Comfort Stop (CST)	•
Hill Decent Control (HDC)	•
Auto Hold (AVH)	•
Electronic Stability Program (ESP)	•
Forward Collision Warning (FCW)	•
Rear Collision Warning (RCW)	•
Rear Cross Traffic Alert (RCTA) & Rear Cross Traffic Brake (RCTB)	•

Convenience & Efficiency	Boost
Vehicle-to-Load (V2L) function	•
Driving modes: Eco, Normal, Sport, Snow	•
2 x Smart key & 1 x NFC key & Smartphone NFC key	•
Keyless entry & keyless start	•
Heat pump	•
11kW On-Board Charger (OBC)	•

Paint Colour Options Boost

Time grey	•
Hiking green	0
Hiking green Skiing white	
Obsidian black	\cap









Time grey Hiking green Skiing white Obsidian black

Interior colour options Boost

Black	•
Beige	•





Black Beige

Dimensions (mm)







Technical Data

Battery Boost

Battery type	BYD Blade Battery (LFP)
Battery capacity (kWh)	51.1

WLTP Range & Comsuption⁴	Boost
Electric range - combined (km)	345
Electric range - city (km)	487
Consumption - combined (kWh/100km)	17.1
Consumption - city (kWh/100km)	12.1
CO ₂ Emissions - combined (g/km)	0

Charging ⁵	Boost
Charging port	CCS2
Max. AC charging power	11kW
AC charging time (11kW 3-phase) 0-100%	5.7h
Max. DC charging power	82
DC charging time SOC 10%-80%	38min
DC charging time SOC 30%-80%	29min

^{4.} Power consumption is calculated in accordance with Regulation (EU) 2017-1151.

The WLTP range and consumption values are obtained under standard EU test conditions, according to the uniform provisions concerning the approval of motor vehicles with regard to the emissions based on the new World Harmonized Light Vehicle Test Procedure (WLTP). The actual range and energy consumption figures may vary due to a number of factors such as weather conditions, traffic situation, vehicle load and driving behaviours.

Driving Performance Boost

Electric motor type	Permanent Magnet Synchronous Motor
Drive type	FWD
Max. power (kW)	130
Max. torque (N·m)	290
Acceleration 0-100km/h (s)	7.9
Top speed (km/h)	160
Front suspension	MacPherson
Rear suspension	Torsion beam
Brakes	Front ventilated disc brakes
Dianes	Rear solid disc brakes

Vehicle Weight & Capacity	Boost
Kerb weight (kg)	1590
Gross vehicle weight (kg)	2000
Max. towing capacity (unbraked, kg)	750
Max. roof load (kg)	50
Min. turning radius (m)	5.25
Boot volume (L)	400
Boot volume - seats down (L)	1340

Dimensions (mm)	Boost
Length	4310
Width	1830
Width with extended exterior mirrors	2060
Height	1675
Ground clearance (Unladen)	165
Ground clearance (Fully laden)	150
Wheelbase	2620
Front track	1570
Rear track	1570

situation, vehicle load and driving behaviours.

5. Charging times and charging speed may vary due to different factors such as battery temperature, specs of charging infrastructure, state of charge. A CCS2 DC charger with the output higher than 100kW and the voltage higher than 500V, as well as the suitable ambient temperature (25°C) are required to achieve the maximum charging speed.

BYD ATTO 2